

[V7] FAQ: Is there any script for silent installation of AhsayOBM/AhsayACB on Windows platform (so that the client application is installed without the end user interaction)?

Article ID: 5229

Reviewed: 2017-01-18

Product Version:

AhsayOBM/AhsayACB: 7.3.2.0 to 7.x

OS: Windows

ATTENTION 1st January, 2022: v7 officially End-of-Life [[details](#)]


Description

Is there any script for silent installation of AhsayOBM or AhsayACB on Windows platform (so that the client application is installed without the end user interaction)?

AhsayOBM /AhsayACB v7 supports two silent installation options on Windows platform.

1. “Silent” mode .

During a “Silent” mode AhsayOBM/AhsayACB installation the progress is displayed on screen but the end user does not need to take any action.



Example: AhsayOBM “Silent” mode install visual feedback


2. “Very Silent” mode.

During a “Very Silent” mode AhsayOBM/AhsayACB installation there is no visual feedback about the installation progress on screen.


Assumptions

1. The AhsayOBM/AhsayACB installers have been branded to include; **the Backup Server URL, Backup Protocol, and Backup Port settings.**

For example, backup server URL is 10.3.1.8, protocol is https, and the port is 443.




Example: AhsayOBM Settings



Example: AhsayACB Settings

2. The *.exe installer (obc-win.exe) is renamed according to the desired application (AhsayOBM/AhsayACB) to be installed, to bypass the software selection screen which requires user input.



Example: AhsayOBM/AhsayACB Windows Installer Product Selection Screen

- i. For AhsayOBM install the name should be for example, **obm-win-443-10.3.1.8-**

https.exe


- ii. For AhsayACB install the name should be for example, **acb-win-443-10.3.1.8-https.exe**

Note: "443-10.3.1.8-https" corresponds to the backup server settings *{port number}-{backup server URL}-{protocol}*

- The default language selection on AhsayOBM/AhsayACB is English.
- Windows UAC (User Account Control) is disabled on the Window machine where AhsayOBM/AhsayACB silent installation occurs.

Note:

The option for */TASKS="meOnly"* or */TASKS="EveryOne"* corresponds to the following options on the AhsayOBM/AhsayACB UI.

**Steps:**

- For 'Silent' mode install of AhsayOBM/AhsayACB use the following command/script:

AhsayOBM:

- obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="meOnly"
- obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="EveryOne"

AhsayACB:

- acb-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="meOnly"
- acb-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="EveryOne"

- For 'Very Silent' mode install of AhsayOBM/AhsayACB use the following command/script:

AhsayOBM:

- obm-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="meOnly"
- obm-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="EveryOnly"

AhsayACB:

- acb-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="meOnly"
- acb-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="EveryOne"

- Installation to non default location

Example: AhsayOBM install to custom location **C:\OBM**

- i. obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="meOnly" /DIR=C:\OBM
- ii. obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="Everyone" /DIR=C:\OBM

Keywords

silent, install, installation, hide, hidden, customization, non default location, UAC, mass deployment, remote deployment

From:
<https://wiki.ahsay.com/> - Ahsay Wiki

Permanent link:
https://wiki.ahsay.com/doku.php?id=public:5229_faq:is_there_any_script_for_silent_installation_of_ahsayobm_ahsayacb_on_windows_platform_so_that_the_client_application_is_installed_without_the_end_user_interaction

Last update: 2021/12/16 04:48