

# FAQ: Is there any script for silent installation of AhsayOBM/AhsayACB on Windows platform (so that the client application is installed without the end user interaction)?

**Article ID:** 5229

**Reviewed:** 18/01/2017

**Product Version:**

AhsayOBM/AhsayACB: 7.3.2.0 or above

OS: Windows


## Description

Is there any script for silent installation of AhsayOBM or AhsayACB on Windows platform (so that the client application is installed without the end user interaction)?

AhsayOBM /AhsayACB v7 supports two silent installation options on Windows platform.

1. **“Silent” mode .**

During a “Silent” mode AhsayOBM/AhsayACB installation the progress is displayed on screen but the end user does not need to take any action.



*Example: AhsayOBM “Silent” mode install visual feedback*


2. **“Very Silent” mode.**

During a “Very Silent” mode AhsayOBM/AhsayACB installation there is no visual feedback about the installation progress on screen.


# Assumptions

1. The AhsayOBM/AhsayACB installers have been branded to include; **the Backup Server URL, Backup Protocol, and Backup Port settings.**

For example, backup server URL is 10.3.1.8, protocol is https, and the port is 443.




*Example: AhsayOBM Settings*



*Example: AhsayACB Settings*

2. The \*.exe installer (obc-win.exe) is renamed according to the desired application (AhsayOBM/AhsayACB) to be installed, to bypass the software selection screen which requires user input.



*Example: AhsayOBM/AhsayACB Windows Installer Product Selection Screen*

- i. For AhsayOBM install the name should be for example, **obm-win-443-10.3.1.8-**

**https.exe**


ii. For AhsayACB install the name should be for example, **acb-win-443-10.3.1.8-https.exe**

**Note:** "443-10.3.1.8-https" corresponds to the backup server settings *{port number}*-*{backup server URL}*-*{protocol}*

- 3. The default language selection on AhsayOBM/AhsayACB is English.
- 4. Windows UAC (User Account Control) is disabled on the Window machine where AhsayOBM/AhsayACB silent installation occurs.

**Note:**

The option for */TASKS="meOnly"* or */TASKS="EveryOne"* corresponds to the following options on the *AhsayOBM/AhsayACB UI*.



**Steps:**

- 1. For 'Silent' mode install of AhsayOBM/AhsayACB use the following command/script:

**AhsayOBM:**

- i. `obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="meOnly"`
- ii. `obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="EveryOne"`

**AhsayACB:**

- i. `acb-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="meOnly"`
- ii. `acb-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="EveryOne"`

- 2. For 'Very Silent' mode install of AhsayOBM/AhsayACB use the following command/script:

**AhsayOBM:**

- i. `obm-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="meOnly"`
- ii. `obm-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="EveryOnly"`

**AhsayACB:**

- i. `acb-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="meOnly"`
- ii. `acb-win-443-10.3.1.8-https.exe /verysilent /LANG=en /TASKS="EveryOne"`

- 3. Installation to non default location

Example: AhsayOBM install to custom location **C:\OBM**

- i. obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="meOnly" /DIR=C:\OBM
- ii. obm-win-443-10.3.1.8-https.exe /silent /LANG=en /TASKS="Everyone" /DIR=C:\OBM

## Keywords

silent, install, installation, hide, hidden, customization, non default location, UAC, mass deployment, remote deployment

From: <https://wiki.ahsay.com/> - Ahsay Wiki

Permanent link: [https://wiki.ahsay.com/doku.php?id=public:5229\\_faq:is\\_there\\_any\\_script\\_for\\_silent\\_installation\\_of\\_ahsayobm\\_ahsayobm\\_on\\_windows\\_platform\\_so\\_that\\_the\\_client\\_application\\_is\\_installed\\_without\\_the\\_end\\_user\\_interaction](https://wiki.ahsay.com/doku.php?id=public:5229_faq:is_there_any_script_for_silent_installation_of_ahsayobm_ahsayobm_on_windows_platform_so_that_the_client_application_is_installed_without_the_end_user_interaction)

Last update: 2018/06/28 11:15