

File

AhsayOBM / AhsayACB comes with the basic capability of backing up ordinary files with the use of File backup set.

Below are the FAQs and Issues related to File backup set type.

FAQs

- [Ahsay Hardware Requirement List \(HRL\)](#) for version 7.3 or above
- [Ahsay Software Compatibility List \(SCL\)](#) for version 7.3 or above
- [Ahsay Software Compatibility List \(SCL\)](#) for Granular and OpenDirect Restore
- [How to create a file backup set with AhsayOBM or AhsayACB?](#)
- [Transfer rate of backup is very inconsistent \(e.g. randomly paused at 0 bit/s\)?](#)
- [How to find AhsayOBM / AhsayACB logs?](#)
- [How to effectively communicate your technical support issue](#)
- [Differences between Ahsay Software version 6 & 7](#)

Issues

- [Error java.lang.NullPointerException displayed when deleting a backup account](#)
- [xhost command not found error when running the RunConfigurator.sh script file](#)
- [Error java.lang.NullPointerException displayed when deleting a system account](#)
- [Manual backup job is interrupted by scheduler for backup set with schedule to "stop after x hours" enabled](#)
- [\[UserCacheManager.login\] Error message from Active Directory LDAP: error code 49?](#)
- [ISSUE: Another backup job is still running. Backup skipped](#)
- ["\[New File\] File="/filename01" Error="\[IOException\] \[NixUtil.c\]\[read\] Invalid argument" when backing up files on Linux machine](#)

From:
<https://wiki.ahsay.com/> - **Ahsay Wiki**

Permanent link:
https://wiki.ahsay.com/doku.php?id=public:file_general&rev=1565675764

Last update: **2019/08/13 13:56**

