

File

AhsayOBM / AhsayACB comes with basic capability of backing up ordinary files with the use of File backup set. 

Below are the FAQs and Issues related to File backup set type.

FAQs

- [Ahsay Hardware Requirement List \(HRL\)](#) for version 7.3 or above
- [Ahsay Software Compatibility List \(SCL\)](#) for version 7.3 or above
- [Ahsay Software Compatibility List \(SCL\)](#) for Granular and OpenDirect Restore
- [How to create a file backup set with AhsayOBM or AhsayACB?](#)
- [Transfer rate of backup is very inconsistent \(e.g. randomly paused at 0 bit/s\)?](#)
- [How to find AhsayOBM / AhsayACB logs?](#)
- [How to effectively communicate your technical support issue](#)
- [Differences between Ahsay Software version 6 & 7](#)

Issues

- [Error java.lang.NullPointerException displayed when deleting a backup account](#)
- [xhost command not found error when running the RunConfigurator.sh script file](#)
- [Error java.lang.NullPointerException displayed when deleting a system account](#)
- [Manual backup job is interrupted by scheduler for backup set with schedule to "stop after x hours" enabled](#)
- [\[UserCacheManager.login\] Error message from Active Directory LDAP: error code 49?](#)
- [ISSUE: Another backup job is still running. Backup skipped](#)
- ["\[New File\] File="/filename01" Error="\[IOException\] \[NixUtil.c\]\[read\] Invalid argument" when backing up files on Linux machine](#)

From:

<https://wiki.ahsay.com/> - **Ahsay Wiki**

Permanent link:

https://wiki.ahsay.com/doku.php?id=public:file_general&rev=1565691150

Last update: **2019/08/13 18:12**

